



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/883,391	06/19/2001	Takayuki Kifuku	Q64978	1332

7590

06/19/2002

SUGHRUE, MION, ZINN, MACPEAK & SEAS
2100 Pennsylvania Avenue, N.W.
Washington, DC 20037

EXAMINER

SMITH, TYRONE W

ART UNIT	PAPER NUMBER
----------	--------------

2837

6

DATE MAILED: 06/19/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

1. Applicant request for reply period to be restarted/reset is granted by Examiner under M.P.E.P Chapter 7 710.06 as described below.

710.06 Situations When Reply Period Is Reset or Restarted

Where the citation of a reference is incorrect or an Office action contains some other defect and this error is called to the attention of the Office within 1 month of the mail date of the action, the Office will restart the previously set period for reply to run from the date the error is corrected, if requested to do so by applicant. If the error is brought to the attention of the Office within the period for reply set in the Office action but more than 1 month after the date of the Office action, the Office will set a new period for reply, if requested to do so by the applicant, to substantially equal the time remaining in the reply period. For example, if the error is brought to the attention of the Office 5 weeks after mailing the action, then the Office would set a new 2-month period for reply. The new period for reply must be at least 1 month and would run from the date the error is corrected. See MPEP § 707.05(g) for the manner of correcting the record where there has been an erroneous citation.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tyrone W Smith whose telephone number is 703-306-5987. The examiner can normally be reached on weekdays from 8:30am to 5:00pm.

Application/Control Number: 09/883,391
Art Unit: 2837

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Nappi, can be reached on (703) 308-3370. The fax phone number for the organization where this application or proceeding is assigned is 703-308-3431.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1782.

Tyrone Smith

Art unit 2837



ROBERT E. NAPPI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800